	Application No.	Applicant(s)
Notice of Allowability	10/601,966	MAZAR, SCOTT T.
	Examiner	Art Unit
	Tilahun B. Gesessse	2618
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to 3/5/07.		
2. The allowed claim(s) is/are <u>1-17,19-21,38-40 and 50-52</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received: <ol> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.</li> </ol> </li> <li>THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> </ul>		
<ul> <li>4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.</li> <li>5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> </ul>		
<ul> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal Pa 6. ☐ Interview Summary Paper No./Mail Date 7. ☐ Examiner's Amendm 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413),

Application/Control Number: 10/601,966

Art Unit: 2618

## **DETAILED ACTION**

## Status of claims

1. This is in response to applicant's amendment and response filed March 5, 2007, in which claims 18, 22-37 and 41-49 have been deleted and claims 1-17,19-21, 38-40 and 50-52 are pending.

After further search and examination of the present applicant and in view of the amendment and response, claims are found to be in condition for allowance.

## Allowable Subject Matter

Claims 1-17,19-21,38-40,50-52 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance: the prior art of record, transmitting a jamming signal from the external blocking device to jam the communications between the implantable medical device and the external communications device, wherein the jamming signal is selected to target a particular frequency range selected for use in the communications between the implantable medical device and the external communications device; and using the jamming signal, jamming communications between the implantable medical device and the external communications device to prevent data transfer between the implantable medical device and the external communications device. These limitation, in conjunction with all other limitation, has not been discussed, suggested or made obvious over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/601,966 Page 3

Art Unit: 2618

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tilahun B Gesesse whose telephone number is 571-272-7879. The examiner can normally be reached on flexible schedule.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban can be reached on 571-272-7899.

The Central FAX Number is 571-273-8300. For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the Central FAX number.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TG

May 22, 2007

TILAHUN GESESSE PRIMARY EXAMINER